

SURVEILLANCE TRAILER



*LEVERAGE POWERFUL OPTICS AND INDUSTRY-
LEADING TRAILER SYSTEMS FOR 24/7 SECURITY*

KEY FEATURES



POWERFUL OPTICS

High-resolution cameras with wide area coverage



REMOTE ACCESS

View video remotely in real-time from any location



VIDEO STORAGE

Cloud-based video management and storage options



RAPID SETUP


Compact, easy to tow, and built for single person setup

Vetted's Surveillance Trailers offer effective monitoring and precise incident capture through high-resolution PTZ cameras powered by solar-based charging for nearly autonomous year-round operation.

With a range of innovative options available, these trailers are the ideal mobile surveillance system to deter crime and ensure safety and security for any location.

MONITOR
CAPTURE - ANALYZE - SOLVE


SURVEILLANCE TRAILER



VSS-SURV-TRL-730W	MINI SURVEILLANCE TRAILER
Camera Support	Supports up to 2 cameras (Cameras not included)
Solar	730W solar array
Battery	4 x 12V 200Ah AGM batteries in a 24VDC system, 400Ah total
Mast System	20ft hand-operated winch mast system
Connectivity	4G Sierra Wireless Router / Modem (SIM card not included)
Enclosure	Secure equipment boxes
System Health Monitoring	Compatible with TechAlert monitoring software (sold separately)
Video Management	Contact the Vetted sales team for cloud based video management solutions
Included Materials	(2) 1.5" NPT connections (Camera mounting adapters are not included)



VSS-SURV-TRL-800W	STANDARD SURVEILLANCE TRAILER
Camera Support	Supports up to 4 cameras (Cameras not included)
Solar	800W solar array
Battery	4 x 12V 200Ah AGM batteries in a 24VDC system, 400Ah total
Mast System	24ft hand-operated winch mast system
Connectivity	4G Sierra Wireless Router / Modem (SIM card not included)
Enclosure	Larger NEMA Rated, 24"W x 32"H x 12" D with filtered cooling fan
System Health Monitoring	Compatible with TechAlert monitoring software (sold separately)
Video Management	Contact the Vetted sales team for cloud based video management solutions
Included Materials	(4) 1.5" NPT connections (Camera mounting adapters are not included)



VSS-SURV-TRL-1600W	XL SURVEILLANCE TRAILER
Camera Support	Supports up to 4 cameras (Cameras not included)
Solar	1600W solar array
Battery	8x 12VD 200Ah AGM Batteries in a 24VDC System, 800Ah Total
Mast System	24ft hand-operated winch mast system
Connectivity	4G Sierra Wireless Router / Modem (SIM card not included)
Enclosure	Larger NEMA Rated, 24"W x 32"H x 12" D with filtered cooling fan
System Health Monitoring	Compatible with TechAlert monitoring software (sold separately)
Video Management	Contact the Vetted sales team for cloud based video management solutions
Included Materials	(4) 1.5" NPT connections (Camera mounting adapters are not included)

Images are for illustration only. Actual options and features may vary.

SURVEILLANCE TRAILER



ENHANCEMENTS

OPTIONS	DESCRIPTION	PART #
Mast (Only Standard and XL Trailers)	Vertical 30ft telescoping tower with electric power winch system	WCTS-30FT-TWR
Flashing Beacon	Blue LED flashing presence beacon (on/off switch)	WCTS-BLUE-LGT
Network Speaker Horn	Outdoor speaker for clear long-range speech	02813-001
Video Management	Cloud-based video management and storage options	Contact sales
SD Storage Card	Axis Surveillance Card 1TB - High Endurance microSDXC card	02366-001
	Axis Surveillance Card 128GB - High Endurance microSDXC card	01491-001
	Axis Surveillance Card 256GB - High Endurance microSDXC card	02021-001
	AXIS Surveillance Card 512 GB - High endurance microSDXC card	02365-001

SURVEILLANCE CAMERAS

PTZ		MULTISENSOR		
				
Model	AXIS Q6135-LE PTZ Network Camera	AXIS M3077-PLVE Panoramic Camera	AXIS M4317-PLVE Panoramic Camera	AXIS M4308-PLE Panoramic Camera
Part #	01959-004	02018-001	02510-001	02100-001
Accessories	T94A01D Pendant Kit Part # 5502-431	T94K01D Pendant Kit Part #5505-081	T94K01D Pendant Kit Part #5505-081	T94K01D Pendant Kit Part #5505-081
Description	High-speed PTZ camera with OptimizedIR and Lightfinder 2.0, delivering sharp, detailed, and reliable imaging in tough lighting	Outdoor-ready mini dome with sharp detail, 360° panoramic view, and dual microphones for audio surveillance	Discreet, outdoor-ready mini dome with crisp imaging in any light and built-in deep learning for edge-based analytics	Discreet, outdoor-ready mini dome with 360° imaging, audio capture, and a deep learning processor for edge analytics
Imaging	HDTV 1080p with 32x optical zoom	6 MP	6 MP	12 MP
Power System	PoE+ midspan 1-port: 100–240 V AC, max 37 W IEEE 802.3 at Type 2 Class, 4 Camera: typical 10.3 W (no IR), max 25 W	PoE IEEE 802.3af/802.3 at Type 1 Class 3 Typical 8.0W, max 11.9W	PoE IEEE 802.3af/802.3 at Type 1 Class 3 Typical 5.7 W, max 12.95 W	PoE IEEE 802.3 at Type 2 Class 4 Typical 7.9 W, max 15.5 W
IR Illumination	OptimizedIR	OptimizedIR	OptimizedIR	OptimizedIR
Environmental Ratings	IP66, IK10, and NEMA 4X	IP66, IK10, and NEMA 4X	IP66, IK10, and NEMA 4X	IP66, IK10, and NEMA 4X
Manufacturer Warranty	5 years	5 years	5 years	5 years

TECHALERT

OPTIONS	DESCRIPTION	PART #
TechAlert Annual Software Licensing Single Trailer	1 year software license subscription	FSS-TA-TRL-1
	2 year software license subscription	FSS-TA-TRL-2
	3 year software license subscription	FSS-TA-TRL-3
	4 year software license subscription	FSS-TA-TRL-4
	5 year software license subscription	FSS-TA-TRL-5